

## PRODUCT COLORS


### Basic. Básico.




White 2001    Steel 2005    Anthracite 2006    Black 2002    Ice 2101



Ecu 2005    Taupé 2004    Crema    Beige 2007    Bronze 2008




Navy 2013    Modo Green    Khaki 2009    Pistachio 2010




Plum 2012    Purjai Red    Red 2014    Orange 2011


### Lacquered. Lacado.




White 3101    Steel 3105    Anthracite 3106    Black 3102



Ecu 3103    Taupé 3104    Crema    Beige 3107    Champagne 3115    Bronze 3108



Navy 3113    Modo Green    Khaki 3109    Pistachio 3110



Plum 3112    Purjai Red    Red 3114    Orange 3111


**Basic injection.**  
Básico inyección.



White / Milos      Ecu / Cala      Tortora      Gray      Black / Manta




Navy      Almond      Pickle




Red      Melon      Mostaza      Bronze

**Clear PC.**  
PC translúcido.



Cristal 4101      Fume 4103      Zaphire 4106      Amber 4102



Opaque White PC 4105      Opaque Black PC 4104

**TABLE**  
**BASSES**  
et collection  
**VINEYARD**

**Powder Coated Aluminium.**  
Aluminio lacado al horno.



White 5001      British Gray 5038      Traffic Gray 5037      Black 5002  
Ecu 5034      Crema 5036      Castoro Fiber 5035      Bronze 5033  
Navy 5017      Modo Green      Pickle 5020      Almond 5019  
Red 5014      Purjai Red 5031      Melon 5018      Mostaza 5016

**Ash Wood.**  
Madera de fresno.



Wood 1 9001      Wood 2 9002

**Teak Wood.**  
Madera de Teca



Natural Teak 9003      Weathered Teak 9004

Collection  
**VINEYARD**

## TABLE TOPS

### HPL Solid Core. HPL Solid Core



**White**  
Solid Core  
(10 & 12mm)



**Castoro Fiber 7006**  
Solid Core  
(10mm)



**Traffic Gray 7008**  
Solid Core  
(10mm)



**Modo Green 7003**  
Solid Core  
(10mm)



**Notte Blue 7001**  
Solid Core  
(10mm)



**Crema 7007**  
Solid Core  
(10mm)



**Piombo Gray 7005**  
Solid Core  
(10mm)



**British Gray 7009**  
Solid Core  
(10mm)



**Cacao 7004**  
Solid Core  
(10mm)




**Purjai Red 7002**  
Solid Core  
(10mm)




**Marmo Canova 7101**  
Solid Core  
(10mm)



**Yule Brown 7105**  
Solid Core  
(10mm)



**Pulpis Gray 7104**  
Solid Core  
(10mm)



**Yule Gray 7102**  
Solid Core  
(10mm)



**Kandia Black 7103**  
Solid Core  
(10mm)

### HPL Black Edge. HPL borde negro.



**Black**  
Black-edge  
(10 & 12mm)



**White**  
Black-edge  
(10 & 12mm)



**Ecrú**  
Black-edge  
(10 & 12mm)

### Glass. Vidrio.



**Glass**  
(10mm)



**White Opaque Glass**  
(Only available for coffee tables)



**Black Opaque Glass**  
(Only available for coffee tables)



**Bronze Smoked Glass**  
(Only available for coffee tables)

### DECKTON® Ceramic Surfaces.



**Entzo**  
Deckton  
(12mm)



**Danae**  
Deckton  
(12mm)



**Kelya**  
Deckton  
(12mm)

## OUTDOOR UPSHOLISTERY

### Nautical. (Group 1)




### Silvertex. (Group 1)



FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNIFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SIMBOLOS
<b>Nautical.</b> Soft acrylic outdoor fabric with leather-like texture.	657 gr/m <sup>2</sup>	EN 1021 1-2 DIN 4102 B2 BS 5852 DIN 53438/72 CAL TB 117	>100.000 cycles	XENOTEST DIN 54004/NTC 1479 ASTM D-4329/ CFFA-2 c2	100% Polyester HiLoft Backing	Clean using a cotton cloth with neutral soap 1/9 water solution. Rub dry with a clean cloth and let dry.	

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNIFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SIMBOLOS
<b>Silvertex.</b> Soft-shiny acrylic outdoor fabric.	685 gr/m <sup>2</sup>	EN 1021 1-2 DIN 4102 B2 NF P 92-503 / M2 UNE 23727-90 (R) / M2 IMO MSC 207 CAL TB 117	>300.000 cycles	>7 - DIN 54004 NTC 1479 (UV outdoor) 4 - ISO 105B04	100% PVC	Clean using a cotton cloth with neutral soap 1/9 water solution. Do not use. Rub dry with a clean cloth and let dry.	

## Savane. (Group 1)



White 1501      Whisper 1502      Tornado 1503

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNIFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SIMBOLOS
<b>Savane.</b> An irregular weave reveals its textural beauty. Suited naturally to all outdoor furnitures.	400 gr/m <sup>2</sup>	CAL TB 117 NFPA 260 UFAC - Class I	50.000 cycles	(UV indoor) 8/8 - ISO 105B02  (UV outdoor) 4-5 - ISO 105B04	100% Acrylic	Clean using a cotton cloth with 1/5 household bleach solution. Remove all bleach residues with water. Rub dry with a clean cloth and let dry.	 

## Crevin. (Group 1)




White 07      Steel 51      Anthracite 53      Taupe 54      Deep Blue 1302



Blue 1301      Lemongrass 1303      Melon 1304

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNIFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SIMBOLOS
<b>Crevin.</b> Upholstery fabric with a medium size and elegant weave. 40% made with recycled PET.	520 gr/m <sup>2</sup>	EN 1021 1 BS5852 0/1 CAL TB 117 NFPA 260	60.000 cycles	(water) 4-5 - ISO 105E03/02/01  (UV outdoor) >6 - ISO 105B04	40% Recycled PET 60% PP	Clean using a cotton cloth with 1/5 household bleach solution. Remove all bleach residues with water. Rub dry with a clean cloth and let dry.	 

## Dralon. (Group 1)



White 1401      Ecu 1402      Black 1403      Bronze 1404

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNIFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SIMBOLOS
<b>Dralon.</b> Basic acrylic outdoor fiber for contract products' cushions.	185 gr/m <sup>2</sup>	BS5852 0/1 UNE 1021 1 B57176 Low hazard	25.000 cycles	(UV indoor) 6-7/8 - ISO 105B02  (water) 5 - ISO 105E03/02/01	100% Acrylic	Clean using a cotton cloth with neutral soap solution. Rub dry with a clean cloth and let dry.	 

## Heritage. (Group 1)

Made with recycled acrylic.



Papyrus 18006-0000      Granite 18004-0000

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNIFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SIMBOLOS
<b>Heritage.</b> Made using 50% of recycled plastics.	335 gr/m <sup>2</sup>	BS5852 0/1 UNE 1021 1 B57176 Low hazard	25.000 cycles	(UV indoor) 7-8/8 - ISO 105B02  (UV outdoor) 5/5 - ISO 105B04	50% Recycled acrylic, 47% Sunbrella acrylic, 3% PE	Clean using a cotton cloth with neutral soap solution. Rub dry with a clean cloth and let dry.	 

## Cico. (Group 1)



Limestone 1701



Gravel 1702



Sandstone 1703



Greywacke 1704



Onix 1705



Cranberry 1707



Blueberry 1706

## MS Acapulco. (Group 1)




Acapulco 1801




Acapulco 1802




Acapulco 1803



Acapulco 1804



Acapulco 1805



Acapulco 1806

## MS Riviera. (Group 1)



Riviera 1820



Riviera 1821



Riviera 1822



Rivier 1823



Riviera 1824



Riviera 1825

## MS Ikon. (Group 1)



Ikon 1830



Ikon 1831




Ikon 1832



Ikon 1833



Ikon 1834



Ikon 1835

## MS Siesta. (Group 1)



Siesta 1810



Siesta 1811



Siesta 1812



Siesta 1813


**Glad.** (Group 2)



FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNIFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SIMBOLOS
<b>Glad.</b> Impressive outdoor fabric with an elegant thick wave.	975 gr/m <sup>2</sup>	BS5852 (1)	30.000 cycles			Clean using a cotton cloth with neutral soap solution. Rub dry with a clean cloth and let dry.	


## SUNROOF & SCREENS

### Ropes.




FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNIFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SIMBOLOS
<b>Clad Ropes.</b> Impressive outdoor woven cords with an elegant thick wave.	975 gr/m <sup>2</sup>	B55852 (I)	30.000 cycles	-	-	Clean using a cotton cloth with neutral soap solution. Rub dry with a clean cloth and let dry.	

### Velum.




FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNIFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SIMBOLOS
<b>Velum.</b> Lightweight and semi-transparent fabrics for curtains. The shimmering reflections create a romantic and refined atmosphere.	165 gr/m <sup>2</sup>	-	-	(UV indoor) 8/8 - ISO 105B02  (UV outdoor) 4-5 - ISO 105B04	100% Acrylic	Clean using a cotton cloth with 1/5 household bleach solution. Remove all bleach residues with water. Rub dry and let dry.	 

### Sunvision.



FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNIFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SIMBOLOS
<b>Sunvision.</b> Acrylic woven screen suitable for outdoors. It reduces the amount of light that passes through.	275 gr/m <sup>2</sup>	-	-	(UV indoor) 7-8/8 - ISO 105B02  (UV outdoor) 4-5/5 - ISO 105B04	Polyester coated with PVC		

### Batyline.



FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNIFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SIMBOLOS
<b>Batyline.</b> Breathable acrylic mesh used on sun loungers and sunroofs. Thanks to its non-absorption and quick-dry features, Batyline mesh can be quickly dried off.	500 gr/m <sup>2</sup>	EN 10211-2 EN 13501 - 1 DIN 4102 B1 NFP 92-507 CAL TB 117 IMO MSC 307	>120.000 cycles	4/5 ASTM C154	Polyester fibre protected with PVC coating.	Wash the mesh with a mild liquid detergent and fresh water, using a soft bristle brush. Batyline mesh has anti-fungal treatment where the moist will have no effect on it.	



# EPOXIA

6 avenue Charles de Gaulle  
78150 Le Chesnay  
+33 1 39 66 00 77  
contact@epoxia.com  
www.epoxia.com



Rejoignez-nous sur nos réseaux sociaux

