

PRODUCT COLORS


Basic. Básico.




White 2001 Steel 2005 Anthracite 2006 Black 2002 Ice 2101



Ecu 2005 Taupé 2004 Crema Beige 2007 Bronze 2008



Navy 2013 Modo Green Khaki 2009 Pistachio 2010




Plum 2012 Purjai Red Red 2014 Orange 2011


Lacquered. Lacado.




White 3101 Steel 3105 Anthracite 3106 Black 3102



Ecu 3103 Taupé 3104 Crema Beige 3107 Champagne 3115 Bronze 3108



Navy 3113 Modo Green Khaki 3109 Pistachio 3110



Plum 3112 Purjai Red Red 3114 Orange 3111

TABLE BASES

Basic injection. Básico inyección.



White / Milos

Ecu / Cala

Tortora

Gray

Black / Manta



Navy

Almond

Pickle




Red

Melon

Mostaza

Bronze

Clear PC. PC translúcido.



Cristal 4101

Fume 4103

Zaphire 4106

Amber 4102



Opaque White PC 4105

Opaque Black PC 4104

Powder Coated Aluminium. Aluminio lacado al horno.



White 5001

British Gray 5038

Traffic Gray 5037

Black 5002




Ecu 5034

Crema 5036

Castoro Fiber 5035

Bronze 5033



Navy 5017

Modo Green

Pickle 5020

Almond 5019



Red 5014

Purjai Red 5031

Melon 5018

Mostaza 5016

Ash Wood. Madera de fresno.



Wood 1

Wood 2

TABLE TOPS

HPL Solid Core. HPL Solid Core



White
Solid Core
(10 & 12mm)



Castoro Fiber 7006
Solid Core
(10mm)



Traffic Gray 7008
Solid Core
(10mm)



Modo Green 7003
Solid Core
(10mm)



Notte Blue 7001
Solid Core
(10mm)



Crema 7007
Solid Core
(10mm)



Piombo Gray 7005
Solid Core
(10mm)



British Gray 7009
Solid Core
(10mm)




Cacao 7004
Solid Core
(10mm)



Purjai Red 7002
Solid Core
(10mm)




Marmo Canova 7101
Solid Core
(10mm)




Yule Brown 7105
Solid Core
(10mm)



Pulpis Gray 7104
Solid Core
(10mm)



Yule Gray 7102
Solid Core
(10mm)



Kandia Black 7103
Solid Core
(10mm)

HPL Black Edge. HPL borde negro.



Black
Black-edge
(10 & 12mm)



White
Black-edge
(10 & 12mm)



Ecrú
Black-edge
(10 & 12mm)

Glass. Vidrio.



Glass
(10mm)



White Opaque Glass
(Only available for coffee tables)



Black Opaque Glass
(Only available for coffee tables)



Bronze Smoked Glass
(Only available for coffee tables)


DECKTON® Ceramic Surfaces.



Entzo
Deckton
(12mm)



Danae
Deckton
(12mm)



Kelya
Deckton
(12mm)

OUTDOOR UPSHOLISTERY

Nautical. (Group 1)




Silvertex. (Group 1)



FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNIFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICION	MAINTENANCE MANTENIMIENTO	SYMBOLS SIMBOLOS
Nautical. Soft acrylic outdoor fabric with leather-like texture.	657 gr/m ²	EN 1021 1-2 DIN 4102 B2 BS 5852 DIN 53438/72 CAL TB 117	>100.000 cycles	XENOTEST DIN 54004/NTC 1479 ASTM D-4329/ CFFA-2 c2	100% Polyester HiLoft Backing	Clean using a cotton cloth with neutral soap 1/9 water solution. Rub dry with a clean cloth and let dry.	

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNIFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICION	MAINTENANCE MANTENIMIENTO	SYMBOLS SIMBOLOS
Silvertex. Soft-shiny acrylic outdoor fabric.	685 gr/m ²	EN 1021 1-2 DIN 4102 B2 NF P 92-503 / M2 UNE 23727-90 (R) / M2 IMO MSC 207 CAL TB 117	>300.000 cycles	>7 - DIN 54004 NTC 1479 (UV outdoor) 4 - ISO 105B04	100% PVC	Clean using a cotton cloth with neutral soap 1/9 water solution. Do not use. Rub dry with a clean cloth and let dry.	

Savane. (Group 1)



White 1501 Whisper 1502 Tornado 1503

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNIFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SIMBOLOS
Savane. An irregular weave reveals its textural beauty. Suited naturally to all outdoor furnitures.	400 gr/m ²	CAL TB 117 NFPA 260 UFAC - Class I	50.000 cycles	(UV indoor) 8/8 - ISO 105B02 (UV outdoor) 4-5 - ISO 105B04	100% Acrylic	Clean using a cotton cloth with 1/5 household bleach solution. Remove all bleach residues with water. Rub dry with a clean cloth and let dry.	

Crevin. (Group 1)




White 07 Steel 51 Anthracite 53 Taupe 54 Deep Blue 1302



Blue 1301 Lemongrass 1303 Melon 1304

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNIFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SIMBOLOS
Crevin. Upholstery fabric with a medium size and elegant weave. 40% made with recycled PET.	520 gr/m ²	EN 1021 1 BS5852 0/1 CAL TB 117 NFPA 260	60.000 cycles	(water) 4-5 - ISO 105E03/02/01 (UV outdoor) >6 - ISO 105B04	40% Recycled PET 60% PP	Clean using a cotton cloth with 1/5 household bleach solution. Remove all bleach residues with water. Rub dry with a clean cloth and let dry.	

Dralon. (Group 1)



White 1401 Ecu 1402 Black 1403 Bronze 1404

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNIFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SIMBOLOS
Dralon. Basic acrylic outdoor fiber for contract products' cushions.	185 gr/m ²	BS5852 0/1 UNE 1021 1 B57176 Low hazard	25.000 cycles	(UV indoor) 6-7/8 - ISO 105B02 (water) 5 - ISO 105E03/02/01	100% Acrylic	Clean using a cotton cloth with neutral soap solution. Rub dry with a clean cloth and let dry.	

Heritage. (Group 1)

Made with recycled acrylic.



Papyrus 18006-0000 Granite 18004-0000

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNIFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SIMBOLOS
Heritage. Made using 50% of recycled plastics.	335 gr/m ²	BS5852 0/1 UNE 1021 1 B57176 Low hazard	25.000 cycles	(UV indoor) 7-8/8 - ISO 105B02 (UV outdoor) 5/5 - ISO 105B04	50% Recycled acrylic, 47% Sunbrella acrylic, 3% PE	Clean using a cotton cloth with neutral soap solution. Rub dry with a clean cloth and let dry.	

Cico. (Group 1)



Limestone 1701




Gravel 1702



Sandstone 1703



Greywacke 1704



Onix 1705



Cranberry 1707



Blueberry 1706

MS Acapulco. (Group 1)



Acapulco 1801




Acapulco 1802




Acapulco 1803



Acapulco 1804



Acapulco 1805



Acapulco 1806

MS Riviera. (Group 1)



Riviera 1820



Riviera 1821



Riviera 1822



Rivier 1823




Riviera 1824



Riviera 1825

MS Ikon. (Group 1)



Ikon 1830



Ikon 1831



Ikon 1832



Ikon 1833



Ikon 1834




Ikon 1835

MS Siesta. (Group 1)



Siesta 1810



Siesta 1811




Siesta 1812



Siesta 1813


Glad. (Group 2)



FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNIFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SIMBOLOS
Glad. Impressive outdoor fabric with an elegant thick wave.	975 gr/m ²	BS5852 (1)	30.000 cycles			Clean using a cotton cloth with neutral soap solution. Rub dry with a clean cloth and let dry.	


SUNROOF & SCREENS

Ropes.




FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNIFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SIMBOLOS
Clad Ropes. Impressive outdoor woven cords with an elegant thick wave.	975 gr/m ²	B55852 (I)	30.000 cycles	-	-	Clean using a cotton cloth with neutral soap solution. Rub dry with a clean cloth and let dry.	

Velum.




FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNIFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SIMBOLOS
Velum. Lightweight and semi-transparent fabrics for curtains. The shimmering reflections create a romantic and refined atmosphere.	165 gr/m ²	-	-	(UV indoor) 8/8 - ISO 105B02 (UV outdoor) 4-5 - ISO 105B04	100% Acrylic	Clean using a cotton cloth with 1/5 household bleach solution. Remove all bleach residues with water. Rub dry and let dry.	

Sunvision.



FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNIFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SIMBOLOS
Sunvision. Acrylic woven screen suitable for outdoors. It reduces the amount of light that passes through.	275 gr/m ²	-	-	(UV indoor) 7-8/8 - ISO 105B02 (UV outdoor) 4-5/5 - ISO 105B04	Polyester coated with PVC		

Batyline.



FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNIFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SIMBOLOS
Batyline. Breathable acrylic mesh used on sun loungers and sunroofs. Thanks to its non-absorption and quick-dry features, Batyline mesh can be quickly dried off.	500 gr/m ²	EN 10211-2 EN 13501 - 1 DIN 4102 B1 NFP 92-507 CAL TB 117 IMO MSC 307	>120.000 cycles	4/5 ASTM C154	Polyester fibre protected with PVC coating.	Wash the mesh with a mild liquid detergent and fresh water, using a soft bristle brush. Batyline mesh has anti-fungal treatment where the moist will have no effect on it.	

EPOXIA

6 avenue Charles de Gaulle
78150 Le Chesnay
+33 1 39 66 00 77
contact@epoxia.com
www.epoxia.com



Rejoignez-nous sur nos réseaux sociaux

